

AGENDA

CITY OF MONONA
PUBLIC WORKS COMMITTEE
City Hall Conference Room
WEDNESDAY, April 4, 2012
6:30 P.M.

1. Call To Order
2. Roll Call
3. Approval of Minutes from March 7, 2012
4. Appearances
 - A. 3837 Monona Drive, On The Lake Condominium Association – regarding the elimination of curbside collection of garbage and recyclables per City Ordinance
 - B. 3905 Lakeside Terrace Condominium Association – regarding the elimination of curbside collection of garbage and recyclables per City Ordinance
5. Old Business - none
6. New Business
 - A. Walk-Up Garbage & Recycle Collection Services – automated cart placement by Veolia for the disabled and elderly
7. Miscellaneous Business
 - A. 2012 Equipment Purchases – For information purposes only, staff update on 2012 capital purchases as approved in the 2012 Capital Budget
 - B. Public Works Operations Report
8. Next Scheduled Meeting: Wednesday, May 2, 2012.
9. Adjournment

NOTE: Upon reasonable notice, the City of Monona will accommodate the needs of disabled individuals through auxiliary aids or services. For additional information or to request this service, contact Joan Andrusz at (608) 222-2525 (not a TDD telephone number), FAX (608) 222-9225, or through the City Police Department TDD telephone number 222-2535. The public is notified that any final action taken at a previous meeting may be reconsidered pursuant to the City of Monona ordinances. A suspension of the rules may allow for final action to be taken on an item of New Business. It is possible that members of and a possible quorum of members of other governmental bodies of the municipality may be in attendance at the above stated meeting to gather information or speak about a subject, over which they have decision-making responsibility. No action will be taken by any governmental body at the above stated meeting other than the governmental body specifically referred to above in this notice.

PUBLIC WORKS COMMITTEE

March 7, 2012

Draft Minutes

The regular monthly meeting of the Public Works Committee for the City of Monona was called to order at 6:33 p.m. by Chairman Kugle.

Present: Alderman Kugle, Alderman Wiswell, Mr. McConnell, Mr. Besch, Mr. Turino, Mr. Podell

Excused: Ms. Busse, Mr. Franklin

Absent: Mr. Stolper

Also Present: DPW Director Stephany

SCS BT Squared – Mr. Borucki, Mr. Schultz, Ms. Powers

SEH – Mr. Planton, Mr. Arendt

Ruekert Mielke – Mr. Lietha, Mr. Burt, Mr. Rice

MSA – Mr. Lord, Mr. Maloney

Vierbicher – Mr. Pope, Mr. Schleeper

Strand Associates – Mr. Swanson, Mr. Holmen, Mr. Fisher, Mr. Straka, Mr. Simpson

APPROVAL OF MINUTES

A motion was made by Alderman Wiswell, seconded by Mr. Besch to approve the minutes of the February 1, 2012 Public Works Committee meeting. Motion carried.

APPEARANCES

None

OLD BUSINESS

None

NEW BUSINESS

6A: Consulting Engineer Interviews – the committee convened in Closed Session under Wisconsin Statute section 19.85(1)(e) Deliberating or negotiating the purchasing of public properties, the investing of public funds, or conducting other specified public business, whenever competitive or bargaining reasons require a closed session (consulting engineer interviews).

Consulting Engineers invited to interview are SCS BT Squared, Short Elliott Hendrickson (SEH), Ruekert Mielke, MSA, Vierbicher, and Strand Associates.

A motion was made by Mr. Turino, seconded by Mr. Besch to convene in Closed Session to conduct the consulting engineer interviews, was carried. Alderman Wiswell voted against this motion.

The committee interviewed the consulting engineering firms and discussed which firms would best suit the needs of the City.

6B: Reconvene to open session.

A motion was made by Mr. McConnell, seconded by Mr. Podell to reconvene into Open Session, was carried. Alderman Wiswell voted against this motion.

6C: Selection of three consulting engineering firms.

A motion was made by Mr. Podell, seconded by Alderman Wiswell to recommend approval for the City to contract with SCS BT Squared, Vierbicher, and Strand Associates for consulting engineering services for an initial three year period, was carried.

NEXT SCHEDULED MEETING: Wednesday, April 4, 2012.

ADJOURNMENT

A motion was made by Alderman Wiswell, seconded by Mr. Stolper to adjourn was carried (9:30pm).

Respectively Submitted,

Daniel Stephany
Director of Public Works

DRAFT

Chapter 3

Solid Waste Disposal and Recycling

8-3-1	Purpose
8-3-2	Refuse Collection
8-3-3	Recycling
8-3-4	Special Charge for Collection of Large or Heavy Items of Trash or Debris
8-3-5	Yard Waste and Brush Disposal
8-3-6	Municipal Leaf Collection Program
8-3-7	Nondisposable Materials
8-3-8	Hospital/Medical Wastes
8-3-9	Refuse from Outside City
8-3-10	Garbage Accumulation; When a Nuisance
8-3-11	Federal and State Regulations
8-3-12	Penalties

Sec. 8-3-1 Purpose.

- (a) The purpose of this Chapter shall be to maintain and protect public health and sanitation by removal of garbage, rubbish, and other waste material generated in the City of Monona, to eliminate dispersal of garbage, waste, and other waste material along the streets, roads, and other public and private properties in and near the City of Monona, and to provide a comprehensive City recycling program.
- (b) The City of Monona finds participation in a mandatory source separation recycling program appropriate in this jurisdiction to conserve available, local landfill capacity. The City further finds it appropriate to participate in both county-wide and state-wide recycling programs to conserve energy, recycle valuable resources, and protect public health, welfare and the environment. ~~The City also finds participation in these programs appropriate to achieve consistency with county-wide recycling policies to ensure that the City will be able to use the county-owned landfill and the county material recycling facility.~~

Sec. 8-3-2 Refuse Collection.

- (a) **Administration.** The weekly collection of solid waste shall be administered by the Director of Public Works.
- (b) **Containers-Residential.**
 - (1) The owner or occupant of each residence shall provide suitable containers or waterproof bags in which to store garbage in a safe manner.
 - (2) Containers shall not exceed thirty (30) gallons, and shall have handles.
 - (3) Containers, with contents, shall not exceed forty-five (45) pounds in weight. Fifty-five (55) gallon drums (or equivalent) will not be emptied regardless of contents or weight.
 - (4) Plastic bags shall be tied securely and shall not exceed in weight what they can safely hold without breaking or tearing when picked up.
 - (5) Food waste shall be drained and wrapped before being placed in containers or bags.
- (c) **Commercial and Multi-Family Establishments.**
 - (1) City collection from commercial establishments will be limited to six (6) thirty (30) gallon cans or thirty (30) cubic feet.
 - (2) ~~Effective January 1, 1995, the City or its authorized collectors shall not provide refuse collection services to multi-family properties with nine (9) or more residential units. Effective January 1, 1996, the City or its authorized collectors shall no provide refuse collection services to~~

- commercial properties and/or commercial/residential structures. Therefor, effective January 1, 1996, the City or its authorized collectors shall provide refuse collection services only to residential properties and multi-family properties with eight (8) or less residential units.
- (d) **Condominiums.** Each condominium association in the City shall be responsible for establishing compliance with this Chapter by the owner of each condominium unit, and shall submit its plan for compliance to the City for approval and shall submit for approval of the City any changes in such plan. Each condominium unit shall be treated the same as a single residential dwelling or the entire condominium shall be treated for such purposes as a multi-family dwelling. In approving such a plan, the City shall consider which plan under the circumstances would better promote the purpose of this Chapter.
- (e) **Limitations on Placement.**
- (1) Containers shall be placed at curb edge by 7:00 a.m. on the scheduled collection day. No containers shall be placed at curb edge prior to twelve (12) hours of the collection day and shall be removed within twenty-four (24) hours after collection. During winter months, refuse shall not be placed on top of snow banks, nor shall it be placed in the roadway. The owner shall either shovel out an area behind the street edge in which to place his wastes or he shall place it in his driveway. Collection crews will not collect residential solid waste unless it is placed at the curb of a public street. Residential units shall bring their solid waste to the terrace adjacent to the street curb for collection. City employees or employees of licensed collectors will not enter any structures to remove refuse, except by written agreement with the property owner.
 - (2) Containers shall be placed as close to the edge of the street as practicable.
- (f) **Lawn Wastes.** Lawn wastes (grass clippings, leaves and garden debris) will not be collected. Residents are encouraged to compost these items. These items may also be placed in containers located at the City Public Works Garage (851 Femrite Drive). Lawn waste must be removed from bags and no brush or garbage are allowed in the drop-off containers.

Sec. 8-3-3 Recycling.

- (a) **Definitions.** The following definitions shall be applicable in this Section:
- (1) **Building Waste.** All demolition waste resulting from remodeling, construction, or removal of a building, roadway or sidewalk, such waste to be disposed of by the owner, builder or contractor.
 - (2) **City.** The City of Monona and/or its designated authorized collector.
 - (3) **Collector.** The person or persons specifically authorized by the Common Council to collect garbage, rubbish and recyclable material and dispose of the same.
 - (4) **Garbage.** All organic kitchen waste that attends the storage, preparation, use, cooking and serving of food.
 - (5) **Glass.** Glass bottles, jars and containers and does not include window glass, pyrex, light bulbs or other non-container glass.
 - (6) **Hazardous Waste or Hazardous Substance.** Those wastes or substances defined in Ch. NR 181, Wis. Adm. Code (including all amendments provided thereto) and also those solid wastes or substances found in household waste [notwithstanding the household waste exclusion provided in Sec. NR 181.12(4)(a), Wis. Adm. Code.]
 - (7) **Household Sharp Medical Waste.** Any type of product capable of puncturing or lacerating the skin that is designed or used to treat, diagnose, or prevent a disease or medical condition, including, but not limited to, scalpels and hypodermic needles.
 - (8) **Lead-Acid Battery.** Automotive and related batteries that are composed of lead plates with an acid electrolyte which is designated as a recyclable, but does not include nickel-cadmium batteries, dry cell (flashlight) batteries or batteries used in calculators, watches, hearing aids or similar devices.
 - (9) **Newspapers.** Matter printed on newsprint including daily or weekly publications and advertising circulars, whether delivered separately or accompanying newspapers, normally delivered or mailed to a household or business for dissemination or public information, but excluding books, magazines, catalogs or similar publications.

- (10) **Non-Recyclable Material.** All pyrex glass, window glass, light bulbs, mirrors, broken glass and china, all polystyrene foam, and melamine type plastics, all waxed paper, waxed cardboard, garbage, and rubbish, telephone directories, etc., not defined as recyclable materials.
- (11) **Plastic.** A rigid or semi-rigid container made of high-density polyethylene (HDPE) or polyethylene terephthalate (PET) which is coded with a Society of the Plastics Industry code one (1) or two (2).
- (12) **Recyclable Material.** Newspapers; brown, green and white container glass; aluminum, tin or bi-metal cans and lids; plastic containers; corrugated cardboard.
- (13) **Rubbish.** All useless waste.
- (14) **Sharps Container.** A container specifically manufactured for the disposal of sharp medical waste.
- (15) **Solid Waste.** All garbage and rubbish as herein defined.
- (b) **Applicability.** This Section shall be applied to all persons and/or entities, however organized, within the City of Monona.
- (c) **Prohibited Recyclable Material Disposal.** No person shall:
 - (1) Mix or permit the mixing of recyclable material with non-recyclable material intended for collection by the City or its authorized collector or a third party.
 - (2) Deposit or cause to be deposited any recyclable material at any authorized collection site while the site is closed.
 - (3) Deposit or cause to be deposited any lead-acid battery in any container designated for the collection of recyclable or non-recyclable material, or place out for collection by the City, or its authorized collector or a third party.
 - (4) Deposit or cause to be deposited any recyclable material in or upon any public street, water, or grounds in the City of Monona except for specified collection periods.
 - (5) Deposit or cause to be deposited any recyclable material in any container not specifically intended for the collection of recyclable material.
 - (6) Deposit or cause to be deposited any non-recyclable material in any container specifically intended for the collection or deposit of recyclable material.
 - (7) Place refuse, garbage, or debris on the property of another or on public property without permission.
- (d) **Residential Separation.**
 - (1) Effective July 1, 1990, all owners or occupants of single family, two-family, condominium, or multi-family [units up to a total of four (4) units in size] dwellings shall comply with all procedures adopted by the City for the separation of recyclable materials and shall further utilize the containers designated by the City or its designee.
 - (2) Residents not receiving solid waste collection service from the City or its authorized collector shall provide adequate separate containers for the collection and disposal of recyclable material.
- (e) ~~**Multi-Family Residential Separation.**~~
 - (1) ~~For the purpose of this Subsection, "multi-family dwelling" means a dwelling intended to be the residence of five (5) or more families.~~
 - (2) ~~On and after July 1, 1990, all owners of multi-family dwellings shall provide, at the owner's expense, adequate separate containers of a type approved by the City for the collection and disposal of recyclable material.~~
- (f) **Commercial Separation.**
 - (1) Owners or occupants of commercial, retail, industrial and governmental facilities shall provide, at the owner's expense, adequate separate containers for the collection and disposal of recyclable material.
 - (2) Owners or occupants of commercial, retail, industrial and governmental facilities served by the City or its authorized collector will provide containers, at the owner's expense, of a type approved by the City and its authorized collector.
- (g) **Notification Required.**
 - (1) Owners of two (2), three (3), and four (4) family dwellings and all multi-family dwellings shall notify all tenants on move-in, and on a semi-annual basis thereafter, of City and county recycling requirements.

- (2) Owners of commercial, retail, industrial and governmental facilities will notify all users, including employees, agents and customers, on a regular basis, of City and county recycling requirements.
- (h) ~~City Provided Services. Effective January 1, 1996, the City or its authorized collectors shall provide recycling services only to residential properties and multi-family properties with eight (8) or less residential units.~~

Sec. 8-3-4 Special Charge for Collection of White Goods.

- (a) **Program Authorized.** The City authorizes the Public Works Department to pick up, on request, white goods and to charge the requesting parties fees to cover the cost of such service.
- (b) **Program Operating Procedures.** Persons wishing to have white goods picked up must call the City Hall in advance to arrange for such service. Large or heavy items are items that are not eligible for pickup in regular refuse and garbage collection operations. White goods include, but are not limited to, the following items:
- (1) Washing machines.
 - (2) Refrigerators.
 - (3) Stoves.
 - (4) Water heaters.
 - (5) Water softeners.
 - (6) Freezers.
 - (7) Trash compactors.
 - (8) Dryers.
 - (9) Dishwashers.
 - (10) Furnaces.
 - (11) Air conditioners.
 - (12) Humidifiers.
 - (13) Dehumidifiers.
 - (14) Microwaves.
- (c) **Billing and Collection.**
- (1) Persons requesting and receiving white goods collection service will be billed in accordance with the current Common Council approved version of the Public Works Special Services Fee Schedule for each item collected for Subsections (b)(1) through (14).
 - (2) Delinquent accounts shall be assessed interest at the rate of one and one-half percent (1-1/2%) per month.
 - (3) Invoices remaining unpaid on October 30th will be extended on the tax roll as a special assessment for current services as provided in Sec. 66.60(16), Wis. Stats.
- (d) **Improper Placement.** White goods may not be placed on the curb without making collection arrangements in advance. Items remaining at curbside for an extended period will be collected and the resident will be billed for a special white goods collection.

Sec. 8-3-5 Yard Waste and Brush Disposal.

- (a) **Definitions.** The following definitions shall be applicable herein:
- (1) **Yard Waste.** Leaves, grass clippings, yard and garden debris, including clean woody vegetative material no greater than one-half (1/2) inches in diameter.
 - (2) **Solid Waste.** Garbage, refuse, and all other discarded or salvable solid materials, including solid waste materials resulting from industrial, commercial and agricultural operations, and from domestic use and public service facilities, but does not include solids or dissolved materials in wastewater effluent or other water pollutants.
 - (3) **Brush.** Clean woody vegetative material no greater than six (6) inches in diameter and holiday trees. This item shall not include stumps, roots, or shrubs with intact root balls.

City of Monona – Department of Public Works

5211 Schluter Road
Monona, Wisconsin 53716
Phone: 608-222-2525
Fax: 608-222-9225
Website: www.mymonona.com



December 8, 2011

On The Lake Condominium Association
3837 Monona Drive
Monona, WI 53716

Dear Ms. Becker,

I am writing this letter to you as the contact of record for the On the Lake Condominium Association. I was recently made aware that the condominium units at this address are receiving curbside solid waste and recyclable materials collection services through the City's contract with Veolia Environmental Services.

Per the Monona Code of Ordinances section 8-3-2(c) (2), refuse collection services are provided to residential properties and multi-family properties with eight (8) or less residential units. Property information obtained from the Access Dane database indicates there are nine (9) condominium units at this location. Based on this information, I regret to inform you that the units of On the Lake Condominiums will no longer be receiving solid waste and recyclables materials collection through the City's service contract. The association or units will be responsible for contracting these services with a contractor of your choice, separate from the City's contract, unless a document can be provided to us indicating an agreement for these services.

The City will continue to provide you service through the City's contract until Wednesday, February 29, 2012. The recycling carts will be collected after your last curbside recyclable materials collection in the month of February.

If you are no longer the representative for the association can you kindly pass this letter on to the appropriate contact, or please contact me with this information. I would like to thank you in advance for your cooperation with this matter. Should you have questions or wish to discuss this letter please feel free to call me at (608) 222-2525.

Sincerely,

A handwritten signature in cursive script that reads "Daniel J. Stephany".

Daniel J. Stephany
Director of Public Works

cc: Pat Marsh, City Administrator
Danny Rokicki, Veolia Environmental Services

Enc: City Code Section 8-3

Catherine M Lamb
3837 Monona Drive #2
Monona WI, 53714
608 223-1690

Mr. Dennis Kugle, Chair
Public Works Committee
City of Monona
5211 Schluter Rd.
Monona, WI 53716

March 18, 2012

Dear Sir:

I am writing to appeal the City of Monona's decision to discontinue city-sponsored pick-up of refuse (recycling and trash) at 3837 On The Lake. As we understand it, if a condominium group has 9 or more units, it is excluded from city-sponsored refuse pick-up.

3837 On The Lake is a condominium association established in 1985. We have 9 units built in the style of attached townhouses. There is no common entrance or common living space.

On behalf of the 3837 On The Lake Condominium Association, I am appealing on the following basis:

1. The condominiums have had city-sponsored refuse pick-up since 1985;
2. Due to the layout of the units, there is no suitable location for a dumpster. As it is, there are only 3 guest parking spaces for 9 units;
3. Approximately 4 years ago, the previous city administrator waived the "nine or more" requirement for our units; and
4. Our 9 units pay over \$62,000 in annual property taxes. On a per unit basis, this is more than many individual home owners pay in property taxes.

We appreciate your consideration of this matter and look forward to discussing it with the Public Works Committee on April 4, 2012.

Sincerely,



Catherine M Lamb, President
3837 On The Lake Condominium Association

c Daniel Stephany, Director of Public Works
City of Monona
3837 On The Lake Association Members
Rose Sage, Sage Management

City of Monona – Department of Public Works

5211 Schluter Road
Monona, Wisconsin 53716
Phone: 608-222-2525
Fax: 608-222-9225
Website: www.mymonona.com



December 8, 2011

Lakeside Terrace Condominium Association
3905 Monona Drive
Monona, WI 53716

Dear Marion Urich,

I am writing this letter to you as the contact of record for the Lakeside Terrace Condominium Association. I was recently made aware that the condominium units at this address are receiving curbside solid waste and recyclable materials collection services through the City's contract with Veolia Environmental Services.

Per the Monona Code of Ordinances section 8-3-2(c)(2), refuse collection services are provided to residential properties and multi-family properties with eight (8) or less residential units. Property information obtained from the Access Dane database indicates there are twelve (12) condominium units at this location. Based on this information, I regret to inform you that the units of Lakeside Terrace Condominiums will no longer be receiving solid waste and recyclables materials collection through the City's service contract. The association or units will be responsible for contracting these services with a contractor of your choice, separate from the City's contract, unless a document can be provided to us indicating an agreement for these services.

The City will continue to provide you service through the City's contract until Wednesday, February 29, 2012. The recycling carts will be collected after your last curbside recyclable materials collection in the month of February.

If you are no longer the representative for the association can you kindly pass this letter on to the appropriate contact, or please contact me with this information. I would like to thank you in advance for your cooperation with this matter. Should you have questions or wish to discuss this letter please feel free to call me at (608) 222-2525.

Sincerely,

A handwritten signature in cursive script that reads "Daniel J. Stephany".

Daniel J. Stephany
Director of Public Works

cc: Pat Marsh, City Administrator
Danny Rokicki, Veolia Environmental Services

Enc: City Code Section 8-3

**APPLICATION FOR RESIDENTIAL
DISABLED ROLL OUT SERVICE**

Name: _____

Street Address: _____

Phone Number: _____

Applicant's Verification of Disability and Household Occupancy

I, the undersigned applicant, certify that I am temporarily permanently disabled and unable to push my recycling/refuse cart to the curb. I also certify that there is no one in my household, in my employ, or providing in-home assistance to me that is able to get my cart(s) to the curb. I understand that it is my responsibility to re-submit this form annually from this date for continuance of residential disabled roll out service.

I authorize my physician or optometrist to release any information necessary to verify my disability.

Signature of Applicant: _____ Date: ____/____/____

Disability Statement

To be completed by a licensed Physician or Optometrist (if Applicant is legally blind)

I, a licensed physician or optometrist, hereby certify that _____
is currently disabled as described below and unable to get his/her recycling/refuse cart(s) to the curb.

Nature of disability: _____

I further certify that this disability is temporary permanent in nature. The length of the temporary disability is from _____ to _____.

Name of Physician or Optometrist: _____

Address: _____

Zip Code: _____ Phone Number: _____

Signature of Physician/Optomtrist: _____ Date: ____/____/____

2012 CAPITAL PROJECT SUMMARY
 Adopted December 5, 2011
 Monona City Council

TOTAL	GO BONDS	ASSESSMENTS	TIF	SEWER BONDS	OTHER REVENUES	CAPITAL RESERVES	STORM WATER BONDS			STORM WATER ASSESSMENTS			STORM WATER OTHER	WATER RESERVES	WATER BONDS
							STORM WATER BONDS	STORM WATER BONDS	STORM WATER BONDS	STORM WATER ASSESSMENTS	STORM WATER ASSESSMENTS	STORM WATER ASSESSMENTS			
\$ 35,210	\$ 35,210	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
52,025	52,025	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18,280	18,280	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13,952	13,952	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5,297	5,297	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,000	1,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Emergency Communications
 Narrowband VHF
 Radio Console Upgrades
 Voter Replacement
 Dane Com Radios
 PD and FD Speakers
 Chair Replacement

Total

\$ 125,764	\$ 125,764	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
------------	------------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

Public Works, Water & Sewer Utilities

Monona Drive Reconstruction - Phase II - Construction
 Monona Drive Phase II Utility Construction Inspection (8%)
 Monona Drive Reconstruction - Phase III - ROW
 Water Meter Replacement/Upgrade to Auto Read System
 2012 Street Repair and Maintenance Program
 Water System Interconnect
 Belle Isle Dredging
 Sanitary Lift Station Generator, 3 Stations
 Lift Station Control Panel Replacement, Winnequah
 Storm Sewer Repair
 SCADA System Upgrade
 ROW Tree Replacement Program
 2012 Sidewalk Improvements Program

Total

\$ 1,275,000	\$ 825,000	\$ -	\$ -	\$ 400,000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
28,400	-	-	-	28,400	-	-	-	-	-	-	-	-	-	-	-
1,000,000	1,000,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-
68,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
175,000	175,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
250,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
250,000	-	-	-	250,000	-	-	-	-	-	-	-	-	-	-	-
21,310	-	-	-	21,310	-	-	-	-	-	-	-	-	-	-	-
65,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30,000	30,000	-	-	28,200	-	-	-	-	-	-	-	-	-	-	-
16,000	16,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-
\$ 3,288,710	\$ 2,046,000	\$ -	\$ -	\$ 727,910	\$ -	\$ -	\$ -	\$ 327,000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ 187,800

PUBLIC WORKS - EQUIPMENT


Plow Truck with Snow/ice Control Equipment
 Mower
 Mower
 1/2 Ton Pickup
 Valve Turner

Total

\$ 155,000	\$ 155,000	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -
55,000	55,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20,000	20,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25,000	25,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25,000	25,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Prepared For:
 City of Monona
 Mark Modaff
 5211 Schluter Rd.
 Monona, WI 53716-2533
 (608)222 - 8147

Presented By:
 CAPITAL CITY INTL INC
 Hank Wieland
 3116 COMMERCIAL AVE
 MADISON WI 53714 -
 (608)246-5860



Model Profile
2013 7400 SFA 4X2 (SA525)

- MISSION:** Requested GVWR: 43000. Calc. GVWR: 43000
 Calc. Geared Speed: 60.3 MPH
- DIMENSION:** Wheelbase: 160.00, CA: 85.00, Axle to Frame: 63.00
- ENGINE, DIESEL:** {MaxxFace 9} EPA 10, 315 HP @ 2000 RPM, 950 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed
- TRANSMISSION, AUTOMATIC:** {Allison 3000_RDS_P} 4th Generation Controls; Close Ratio, 6-Speed, With Double Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max.
- CLUTCH:** Omit Item (Clutch & Control)
- AXLE, FRONT NON-DRIVING:** {Meritor MFS-20-133A} Wide Track, I-Beam Type, 20,000-lb Capacity
- AXLE, REAR, SINGLE:** {Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, 200 Wheel Ends, Driver Controlled Locking Differential Gear Ratio: 6.83
- CAB:** Conventional
- TIRE, FRONT:** (2) 315/80R22.5 HSU2 (CONTINENTAL) 481 rev/mile, load range L, 20 ply
- TIRE, REAR:** (4) 11R22.5 UNISTEEL G177 (GOODYEAR) 493 rev/mile, load range H, 16 ply
- SUSPENSION, REAR, AIR, SINGLE:** {Hendrickson PRIMAAX EX} 23,000-lb Capacity, 9.0" Ride Height, With Shock Absorbers
- PAINT:** Cab schematic 100GM

Location 1: 6E12, Blue Metallic (Std)
Chassis schematic N/A

Description

Base Chassis, Model 7400 SFA 4X2 with 160.00 Wheelbase, 85.00 CA, and 63.00 Axle to Frame.

TOW HOOK, FRONT (2) Frame Mounted

FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.866" x 3.622" x 0.433" (276.0mm x 92.0mm x 11.1mm); 456.0" (11582mm) Maximum OAL

BUMPER, FRONT Steel, Swept Back; Painted 0001 Canyon Black

FRAME EXTENSION, FRONT Integral; 20" In Front of Grille

WHEELBASE RANGE 146" (370cm) Through and Including 195" (495cm)

AXLE, FRONT NON-DRIVING {Meritor MFS-20-133A} Wide Track, I-Beam Type, 20,000-lb Capacity

Notes

: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.

SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 20,000-lb Capacity; With Shock Absorbers

Includes

: SPRING PINS Rubber Bushings, Maintenance-Free

Notes

: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.

SPRINGS, FRONT AUXILIARY Air Bag, Right Side Only, Driver Control

BRAKE SYSTEM, AIR Dual System for Straight Truck Applications

Includes

: BRAKE LINES Color and Size Coded Nylon

: DRAIN VALVE Twist-Type

: DUST SHIELDS, FRONT BRAKE

: DUST SHIELDS, REAR BRAKE

: GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster

: PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel

: PARKING BRAKE VALVE For Truck

: QUICK RELEASE VALVE Bendix On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4

: SLACK ADJUSTERS, FRONT Automatic

: SLACK ADJUSTERS, REAR Automatic

: SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4

Notes

: Rear Axle is Limited to 23,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle/Suspension Ordered.

BRAKES, FRONT, AIR CAM 16.5" x 6", Includes 24 SqIn Long Stroke Brake Chambers

DescriptionNotes

: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.

DRAIN VALVE {Berg} Manual; With Pull Chain, for Air Tank

Includes

: DRAIN VALVE Mounted in Wet Tank

AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel) With Automatic Traction Control

AIR DRYER {Meritor Wabco System Saver 1200} with Heater

Includes

: AIR DRYER LOCATION Inside Left Rail, Back of Cab

BRAKE CHAMBERS, FRONT AXLE {Haldex} 24 SqIn

BRAKE CHAMBERS, REAR AXLE {Haldex GC3030LHDHO} 30/30 Spring Brake

Includes

: BRAKE CHAMBERS, SPRING (2) Rear Parking; WITH TRUCK BRAKES: All 4x2, 4x4; WITH TRACTOR BRAKES: All 4x2, 4x4; 6x4 & 6x6 with Rear Tandem Axles Less Than 46,000-lb. or GVWR Less Than 54,000-lb.

BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake

Notes

: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.

AIR COMPRESSOR {Bendix Tu-Flo 550} 13.2 CFM Capacity

STEERING COLUMN Tilting

STEERING WHEEL 2-Spoke, 18" Diam., Black

STEERING GEAR (2) {Sheppard M-100/M-80} Dual Power

EXHAUST SYSTEM Single, Horizontal, Aftertreatment Device Frame Mounted Outside Right Rail Under Cab; Includes Vertical Tail Pipe and Guard

Includes

: EXHAUST HEIGHT 10' Exhaust Height - Based on Empty Chassis with Standard Components (+ or - 1" Height)
: MUFFLER/TAIL PIPE GUARD Non-Bright Finish

TAIL PIPE (1) Turnback Type, Non-Bright, for Single Exhaust

EXHAUST HEIGHT 11' 6"

ELECTRICAL SYSTEM 12-Volt, Standard Equipment

Description**Includes**

- : BATTERY BOX Steel with Plastic Lid
- : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab
- : FUSES, ELECTRICAL SAE Blade-Type
- : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover
- : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever
- : HEADLIGHTS (2) Sealed Beam, Round, with Chrome Plated Bezels
- : HORN, ELECTRIC Single
- : JUMP START STUD Located on Positive Terminal of Outermost Battery
- : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light
- : RUNNING LIGHT (2) Daytime, Included With Headlights
- : STARTER SWITCH Electric, Key Operated
- : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector
- : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature
- : TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted
- : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever
- : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted
- : WIRING, CHASSIS Color Coded and Continuously Numbered

CIGAR LIGHTER Includes Ash Cup

ALTERNATOR {Leece-Neville LBP2224H} Brush Type; 12 Volt 120 Amp. Capacity, Pad Mount

BODY BUILDER WIRING Back of Standard Cab at Left Frame or Under Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn

BATTERY SYSTEM {International} Maintenance-Free, (2) 12-Volt 1850CCA Total

TAIL LIGHT WIRING MODIFIED Includes: Wiring for Standard Lt & Rt Tail Lights; Separate 8.0' of Extra Cable Wiring for Lt & Rt Body Mounted Tail Lights

2-WAY RADIO Wiring Effects; Wiring With 20 Amp Fuse Protection, Includes Ignition Wire With 5 Amp Fuse, Wire Ends Heat Shrink and Routed to Center of Header Console in Cab

RADIO {International} AM/FM Stereo With Weatherband, Clock, Auxiliary Input, Includes Multiple Speakers

Includes

- : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior
- : SPEAKERS IN CAB (4) Coaxial with Premium Interior

BACK-UP ALARM Electric, 102 dBA

AUXILIARY HARNESS 3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications

Description

SWITCH, AUXILIARY Accessory Control; for Wiring in Roof, With Maximum of 20 amp Load With Switches In Instrument Panel

HORN, AIR Black, Single Trumpet, Air Solenoid Operated

BATTERY DISCONNECT SWITCH {Joseph Pollak 51-315} Positive Type, Lever Operated, Cab Mounted

HEADLIGHTS Long Life Halogen; for Two Light System

STARTING MOTOR {Delco Remy 38MT Type 300} 12 Volt; less Thermal Over-Crank Protection

INDICATOR, LOW COOLANT LEVEL With Audible Alarm

CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses

FENDER EXTENSIONS Rubber

GRILLE Stationary, Chrome

BUG SCREEN Front End; Mounted Behind Grille

FRONT END Tilting, Fiberglass, With Three Piece Construction; for 2007 & 2010 Emissions

PAINT SCHEMATIC, PT-1 Single Color, Design 100

Includes

: PAINT SCHEMATIC ID LETTERS "GM"

PAINT TYPE Base Coat/Clear Coat, 1-2 Tone

CLUTCH Omit Item (Clutch & Control)

OIL FILTER, ENGINE {Hudgins Model 960 Spinner}

ENGINE, DIESEL {MaxxForce 9} EPA 10, 315 HP @ 2000 RPM, 950 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed

Includes

: AIR COMPRESSOR AIR SUPPLY LINE Naturally-Aspirated (Air Brake Chassis Only)

: ANTI-FREEZE Red Shell Rotella Extended Life Coolant; -40 Degrees F/ -40 Degrees C; for MaxxForce Engines

: COLD STARTING EQUIPMENT Intake Manifold Electric Grid Heater with Engine ECM Control

: CRUISE CONTROL Electronic; Controls Integral to Steering Wheel

: ENGINE OIL DRAIN PLUG Magnetic

: ENGINE SHUTDOWN Electric, Key Operated

: FUEL FILTER Included with Fuel/Water Separator

: FUEL/WATER SEPARATOR Fuel/Water Separator and Fuel Filter in a Single Assembly; With Water-in-Fuel Sensor; Engine Mounted

: GOVERNOR Electronic

: OIL FILTER, ENGINE Spin-On Type

: WET TYPE CYLINDER SLEEVES

Description

FAN DRIVE {Horton Drivemaster Polar Extreme} Direct Drive Type, Two Speed, With Residual Torque Device for Disengaged Fan Speed

Includes

: FAN Nylon

RADIATOR Aluminum, Cross Flow, Series System; 1228 SqIn Core and 648 SqIn Charge Air Cooler and 342 SqIn Low Temperature Radiator and With Transmission Oil Cooler

Includes

: DEAERATION SYSTEM with Surge Tank

: HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps

: RADIATOR HOSES Premium, Rubber

FEDERAL EMISSIONS for 2010; MaxxFORCE 9 & 10 Engines

AIR CLEANER Single Element, with Integral Snow Valve and In-Cab Control

Includes

: GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted

THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel

ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls; With Ignition Switch Control for MaxxFORCE post 2007 Emissions Electronic Engines

FAN OVERRIDE Manual; With Electric Switch on Instrument Panel, (Fan On With Switch On)

EMISSION COMPLIANCE Federal, Does Not Comply With California Clean Air Idle Regulations

TRANSMISSION, AUTOMATIC {Allison 3000_RDS_P} 4th Generation Controls; Close Ratio, 6-Speed, With Double Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max.

Includes

: OIL FILTER, TRANSMISSION Mounted on Transmission

: TRANSMISSION OIL PAN Magnet in Oil Pan

TRANSMISSION SHIFT CONTROL {Allison} T-Bar Type; for Allison 3000 & 4000 Transmission

SHIFT CONTROL PARAMETERS Allison S-1 Performance Programming in Primary and Allison Fixed Programming in Secondary

TRANSMISSION OIL Synthetic; 29 thru 42 Pints

ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS); General Purpose Trucks, Construction

SUSPENSION AIR CONTROL VALVE Pressure Release Control In Cab

AXLE, REAR, SINGLE {Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, 200 Wheel Ends, Driver Controlled Locking Differential . Gear Ratio: 6.83

DescriptionIncludes

: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle

Notes

: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.

: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance

SUSPENSION, REAR, AIR, SINGLE {Hendrickson PRIMAAX EX} 23,000-lb Capacity, 9.0" Ride Height, With Shock Absorbers

Notes

: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.

FUEL/WATER SEPARATOR With Thermostatic Fuel Temperature Controlled Electric Heater, and Filter Restriction/Change Indicator, Includes Standard Equipment Water-in-Fuel Sensor

FUEL TANK Top Draw; D Style, Non Polished Aluminum, 80 U.S. Gal., 303 L Capacity, 23.0" Tank Depth, Mounted Left Side Under Cab

CAB Conventional

Includes

: ARM REST (2) Molded Plastic; One Each Door

: CLEARANCE/MARKER LIGHTS (5) Flush Mounted

: COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window

: CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel

: DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted

: GLASS, ALL WINDOWS Tinted

: GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side

: GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side

: INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color

: STEP (4) Two Steps Per Door

GAUGE CLUSTER English With English Electronic Speedometer

Includes

: GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level

: ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout

: WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)

GAUGE, OIL TEMP, ALLISON TRAN

GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} With Black Bezel Mounted in Instrument Panel

Description

IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster

SEAT, DRIVER {National 2000} Air Suspension, High Back With Integral Headrest, Cloth, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, -3 to +14 Degree Back Angle Adjust

Includes

: SEAT BELT 3-Point, Lap and Shoulder Belt Type

SEAT, PASSENGER {Gra-Mag} Non Suspension, High Back, Fixed Back, Integral Headrest, Cloth

Includes

: SEAT BELT 3-Point, Lap and Shoulder Belt Type

MIRRORS (2) {Lang Mekra} Styled; Rectangular, 7.09" x 15.75" & Integral Convex Both Side, 102" Inside Spacing, Breakaway Type, Heated Heads Thermostatic Controlled, Bright Finish Heads and Brackets

GRAB HANDLE Chrome; Towel Bar Type With Anti-Slip Rubber Inserts; for Cab Entry Mounted Left Side Only at "B" Pillar

ARM REST, RIGHT, DRIVER SEAT

HEATER {Blend-Air} with Defroster

Includes

: HEATER HOSES Premium

: HOSE CLAMPS, HEATER HOSE Mubea Constant Tension Clamps

INSTRUMENT PANEL Center Section, Flat Panel

WINDOW, POWER (2) And Power Door Locks, Left and Right Doors, Includes Express Down Feature

HVAC FRESH AIR FILTER

FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood

CAB INTERIOR TRIM Premium

Includes

: "A" PILLAR COVER Molded Plastic

: CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering

: CAB SOUND INSULATION Includes Dash and Engine Cover Insulators

: CAB, INTERIOR TRIM, CLOSEOUT Lower Dash Closeout Panel; Molded Plastic; Under Instrument Panel Driver Side

: CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets, CB Radio Pocket, Speakers, and Reading Lights

: COURTESY LIGHT (2) Mounted In Front Map Pocket Left and Right Side

: DOOR TRIM PANELS with Cloth Insert on Bolster Driver and Passenger Doors

: FLOOR COVERING Rubber, Black

Description

: GAUGE, TEMPERATURE, AMBIENT Includes Compass Readout and Wiring and Sensor With Display Unit Mounted in Cluster

: HEADLINER Soft Padded Cloth

: INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section

: STORAGE POCKET, DOOR (2) Molded Plastic (Carpet Texture), Full-Length; Driver and Passenger Doors

: SUN VISOR (3) Padded Vinyl: 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Vanity Mirror and Toll Ticket Strap, plus 1 Auxiliary Visor (Front Only), Driver Side

CAB REAR SUSPENSION Air Bag Type

WINDSHIELD WIPER BLADES Snow Type

WHEELS, FRONT DISC; 22.5" Painted Steel, 5 Hand Hole, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 9.00 DC Rims; With Steel Hubs.

Includes

: PAINT IDENTITY, FRONT WHEELS White

Notes

: Compatible Tire Sizes: 12R22.5, 295/75R22.5, 295/80R22.5, 315/80R22.5

WHEELS, REAR DUAL DISC; 22.5" Painted Steel, 2 Hand Hole, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs

Includes

: PAINT IDENTITY, REAR WHEELS White

Notes

: Compatible Tire Sizes: 11R22.5, 12R22.5, 255/70R22.5, 255/80R22.5, 265/75R22.5, 275/70R22.5, 275/80R22.5, 295/75R22.5, 295/80R22.5

(4) TIRE, REAR 11R22.5 UNISTEEL G177 (GOODYEAR) 493 rev/mile, load range H, 16 ply

(2) TIRE, FRONT 315/80R22.5 HSU2 (CONTINENTAL) 481 rev/mile, load range L, 20 ply

Cab schematic 100GM

Location 1: 6E12, Blue Metallic (Std)

Chassis schematic N/A

Services Section:

SRV CONTRACT, EXT ENGINE {2007 & 2010 EPA} To 84-Month/100,000 Miles (160,000 km), 3600 Hours; Includes Engine, Engine Electronics and Injectors; for MaxxFer DT & MaxxFer 9 Engines

(USA DOLLAR)

Description

Price

Net Sales Price:

\$85,101.34

******NOTE******

Above pricing is based on Iowa County Highway Department Awarded Bid Pricing

Trade Value for 1990 International \$6000.00

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

**This proposal is not binding upon the seller
without Seller's Authorized Signature**

Official Title and Date

Prepared For:
MARK MODAFF
CITY OF MONONA
MONONA, WI 53716
Phone: (608) 222-2525
Email: mmodaff@ci.monona.wi.us

Prepared By:
Scott Kussow
Ewald Automotive Group
36833 E. Wisconsin Ave.
Oconomowoc, WI 53066
Phone: (262) 567-5555
Fax: (262) 560-1303
Email: skfleet@ewaldauto.com

2012 Fleet/Non-Retail Chevrolet Colorado 4WD Ext Cab Work Truck CT156

QUOTE WORKSHEET

QUOTE WORKSHEET - 2012 Fleet/Non-Retail CT15653 4WD Ext Cab Work Truck

MSRP	\$23,030.00
Destination Charge	\$810.00
Optional Equipment	\$3,105.00
Dealer Advertising	\$0.00
PRE-TAX ADJUSTMENTS:	
STATE OF WISCONSIN MUNICIPAL DISCOUNT	(\$7,296.00)
TRADE-IN '94 SILVERADO 1500 REG CAB	(\$750.00)
Total Pre-Tax Adjustments	(\$8,046.00)
Taxable Price	\$18,899.00
TOTAL	\$18,899.00

Customer Signature / Date

Dealer Signature / Date

2012 CHEVROLET COLORADO EXT CAB 4WD WT REVISED TO THE SPECS AS DETAILED. DELIVERY CAN BE ANTICIPATED 60-90 DAYS FROM RECEIPT OF YOUR ORDER. PAYMENT TERMS ARE NET TEN DAYS.

FINAL ORDER DATE 4/19/12.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 217.0, Data updated 3/20/2012 10:00:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

March 28, 2012 12:43:17 PM

Page 1

Prepared For:
MARK MODAFF
CITY OF MONONA
MONONA, WI 53716
Phone: (608) 222-2525
Email: mmodaff@ci.monona.wi
.us

Prepared By:
Scott Kussow
Ewald Automotive Group
36833 E. Wisconsin Ave.
Oconomowoc, WI 53066
Phone: (262) 567-5555
Fax: (262) 560-1303
Email: skfleet@ewaldauto.com

2012 Fleet/Non-Retail Chevrolet Colorado 4WD Ext Cab Work Truck CT156

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2012 Fleet/Non-Retail CT15653 4WD Ext Cab Work Truck

ENTERTAINMENT

- Audio system, AM/FM stereo with seek-and-scan and digital clock (Included and only available with (Y5D) Crew Cab Value Option Package)
- Bluetooth for Phone, personal cell phone connectivity to vehicle audio system (Deleted when (UE0) OnStar delete is ordered.)
- Audio system feature, uplevel speaker system

EXTERIOR

- Wheels, 4-16" x 6" (40.6 cm x 15.2 cm) steel (4x4 models only)
- Tires, P235/75R16 all-season, blackwall (4x4 models only.)
- Tire, compact spare
- Bumpers front body-color upper with Dark Gray lower, rear step-style body-color with a Dark Smoke Gray pad
- Air dam, Ebony
- Grille, color-keyed bar and grille surround
- Fog lamps, front, halogen
- Mirrors, outside manual, manual-folding
- Wipers, front intermittent with washers
- Bedliner
- Tailgate, 2-position

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 217.0, Data updated 3/20/2012 10:00:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
MARK MODAFF
CITY OF MONONA
MONONA, WI 53716
Phone: (608) 222-2525
Email: mmodaff@ci.monona.wi.us

Prepared By:
Scott Kussow
Ewald Automotive Group
36833 E. Wisconsin Ave.
Oconomowoc, WI 53066
Phone: (262) 567-5555
Fax: (262) 560-1303
Email: skfleet@ewaldauto.com

2012 Fleet/Non-Retail Chevrolet Colorado 4WD Ext Cab Work Truck CT156

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2012 Fleet/Non-Retail CT15653 4WD Ext Cab Work Truck

INTERIOR

- Seats, front 60/40 split-bench
- Seats, driver- and passenger-side, forward-facing, flat-folding rear includes rear seat storage compartment (Removed by (B38) full-width rubberized-vinyl floor covering.)
- Floor covering, Ebony carpeting
- Floor mats, rubberized-vinyl front (Requires (B30) Ebony carpeted floor covering)
- Floor mats, rubberized-vinyl rear (Requires (B30) Ebony carpeted floor covering.)
- Steering wheel, leather-wrapped
- Steering column, Tilt-Wheel
- Theft-deterrent system, vehicle, PASSlock
- Stolen Vehicle Assistance (Deleted when (UE0) OnStar delete is ordered.)
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, engine temperature, tachometer and Driver Information Center
- Warning tones headlamp on, key-in-ignition, driver safety belt unfasten and turn signal on
- Door locks, manual
- Windows, manual driver and front passenger
- Cruise control
- OnStar Turn-by-Turn Navigation (Deleted when (UE0) OnStar delete is ordered.)
- Air conditioning, single-zone manual
- Power outlets, 2 auxiliary with covers, 12-volt
- Accents, interior Titanium Nova Silver-colored air outlets and center control stack with chrome door handle bezels, uplevel instrument cluster bezel, front upper door speaker bezel and air vent sliders
- Door trim integral armrests and driver- and front passenger-side map pockets with cloth inserts
- Mirror, inside rearview manual day/night
- Visors, driver and front passenger, padded with cloth includes front passenger vanity mirror
- Assist handle, front passenger

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 217.0, Data updated 3/20/2012 10:00:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
MARK MODAFF
CITY OF MONONA
MONONA, WI 53716
Phone: (608) 222-2525
Email: mmodaff@ci.monona.wi
.us

Prepared By:
Scott Kussow
Ewald Automotive Group
36833 E. Wisconsin Ave.
Oconomowoc, WI 53066
Phone: (262) 567-5555
Fax: (262) 560-1303
Email: skfleet@ewaldauto.com

2012 Fleet/Non-Retail Chevrolet Colorado 4WD Ext Cab Work Truck CT156

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2012 Fleet/Non-Retail CT15653 4WD Ext Cab Work Truck

- Coat hooks, driver- and passenger-side rear

MECHANICAL

- Engine, 2.9L DOHC 4-cylinder SFI (185 hp [137.9 kW] @ 5600 rpm), 190 lb-ft [263.2 Nm] @ 2800 rpm) (Refer to the Engine and Axle section for compatibility requirements. Must specify.)
- Transmission, 5-speed manual with overdrive (Not available with (LLR) 3.7L DOHC 5-cylinder SFI engine. Refer to the Engine and Axle section for compatibility requirements. Must specify.)
- Rear axle, 3.73 ratio (Refer to the Engine and Axle section for compatibility requirements. Must specify.)
- GVWR, 5300 lbs. (2404 kg) (4x4 models only. Refer to the Engine and Axle section for compatibility requirements. Must specify)
- Transfer case, Insta-Trac, electronic shift with dash-mounted controls (4x4 models only.)
- Four wheel drive
- Battery, heavy-duty 590 cold-cranking amps, maintenance-free with rundown protection
- Alternator, 125 amps
- Pickup box, Fleetside, all-welded steel with double wall construction and corrosion protection with 4 cargo tie-downs
- Recovery hooks, 2 front, frame-mounted (4x4 models only)
- Suspension Package, Heavy-Duty
- Suspension, front, torsion bar and stabilizer bar (4X4 models only)
- Suspension, rear semi-floating axle with 2-stage multi-leaf springs
- Front underbody shield (4x4 models only)
- Steering, power, rack-and-pinion
- Brakes, 4-wheel antilock, front disc/rear drum

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 217.0, Data updated 3/20/2012 10:00:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
MARK MODAFF
CITY OF MONONA
MONONA, WI 53716
Phone: (608) 222-2525
Email: mmodaff@ci.monona.wi.us

Prepared By:
Scott Kussow
Ewald Automotive Group
36833 E. Wisconsin Ave.
Oconomowoc, WI 53066
Phone: (262) 567-5555
Fax: (262) 560-1303
Email: skfleet@ewaldauto.com

2012 Fleet/Non-Retail Chevrolet Colorado 4WD Ext Cab Work Truck CT156

STANDARD EQUIPMENT

STANDARD EQUIPMENT - 2012 Fleet/Non-Retail CT15653 4WD Ext Cab Work Truck

SAFETY

- StabiliTrak, stability control system with Traction Control
- Daytime Running Lamps with automatic exterior lamp control
- Air bags, frontal, driver and right-front passenger with Passenger Sensing System (A note about child safety: Always use safety belts and the correct child restraint for your child's age and size. Even with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See your vehicle Owner's Handbook for more information.)
- Air bags, head curtain side-impact, driver and right-front passenger, first and second row outboard passengers (Head Curtain Side Air Bags are designed to help reduce the risk of head and neck injuries to front and rear seat occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraint for your child's age and size, even with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the Owner's Manual for more safety information.)
- Automatic Crash Response (Deleted when (UE0) OnStar delete is ordered.)
- OnStar, 6 months of Directions and Connections plan includes Automatic Crash Response, Emergency Services, Crisis Assist, Stolen Vehicle Assistance, Remote Door Unlock, Turn-by-Turn Navigation with OnStar eNav (where available), OnStar Vehicle Diagnostics, Roadside Assistance, Remote Horn and Lights, and Hands Free Calling (Visit onstar.com for details and system limitations.)
- Safety belts, 3-point, driver and right-front passenger, adjustable (center front position lap belt with bench seat only)
- Safety belts, 3-point, rear, all seating positions (Included and only available with (AJ2) driver- and passenger-side, forward-facing, flat-folding rear seat.)
- LATCH system (Lower Anchors and Top tethers for CHildren), for child safety seats (Included and only available with (AJ2) driver- and passenger-side, forward-facing, flat-folding rear seats.)
- Tire Pressure Monitor

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 217.0, Data updated 3/20/2012 10:00:00 AM

©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
 MARK MODAFF
 CITY OF MONONA
 MONONA, WI 53716
 Phone: (608) 222-2525
 Email: mmodaff@ci.monona.wi.us

Prepared By:
 Scott Kussow
 Ewald Automotive Group
 36833 E. Wisconsin Ave.
 Oconomowoc, WI 53066
 Phone: (262) 567-5555
 Fax: (262) 560-1303
 Email: skfleet@ewaldauto.com

2012 Fleet/Non-Retail Chevrolet Colorado 4WD Ext Cab Work Truck CT156

SELECTED MODEL & OPTIONS

SELECTED MODEL - 2012 Fleet/Non-Retail CT15653 4WD Ext Cab Work Truck

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
CT15653	2012 Chevrolet Colorado 4WD Ext Cab Work Truck	\$23,030.00

SELECTED VEHICLE COLORS - 2012 Fleet/Non-Retail CT15653 4WD Ext Cab Work Truck

<u>Code</u>	<u>Description</u>
-	Interior: Ebony
-	Exterior 1: Deep Navy
-	Exterior 2: No color has been selected.

SELECTED OPTIONS - 2012 Fleet/Non-Retail CT15653 4WD Ext Cab Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
EMISSIONS		
FE9	EMISSIONS, FEDERAL REQUIREMENTS	\$0.00
ENGINE		
LLR	ENGINE, 3.7L DOHC 5-CYLINDER SFI (242 hp [180.4 kW] @ 5600 rpm), 242 lb-ft [326.7 N-m] @ 4600 rpm) (Not available with (MA5) 5-speed manual transmission. Refer to the Engine and Axle section for compatibility requirements. Must specify.) (Refer to the Engine and Axle section for compatibility requirements. Must specify.)	\$1,000.00
TRANSMISSION		
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED WITH OVERDRIVE (Refer to the Engine and Axle section for compatibility requirements. Must specify.)	\$1,095.00
AXLE		
GT4	REAR AXLE, 3.73 RATIO (Refer to the Engine and Axle section for compatibility requirements. Must specify.)	\$0.00
PREFERRED EQUIPMENT GROUP		

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 217.0, Data updated 3/20/2012 10:00:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
 MARK MODAFF
 CITY OF MONONA
 MONONA, WI 53716
 Phone: (608) 222-2525
 Email: mmodaff@ci.monona.wi.us

Prepared By:
 Scott Kussow
 Ewald Automotive Group
 36833 E. Wisconsin Ave.
 Oconomowoc, WI 53066
 Phone: (262) 567-5555
 Fax: (262) 560-1303
 Email: skfleet@ewaldauto.com

2012 Fleet/Non-Retail Chevrolet Colorado 4WD Ext Cab Work Truck CT156

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2012 Fleet/Non-Retail CT15653 4WD Ext Cab Work Truck

CATEGORY

Code	Description	MSRP
PREFERRED EQUIPMENT GROUP		
1WT	WORK TRUCK PREFERRED EQUIPMENT GROUP Includes Standard Equipment	\$0.00
TIRES		
QNF	TIRES, P235/75R16 ALL-SEASON, BLACKWALL (STD) (4x4 models only.)	\$0.00
SPARE TIRE		
ZNF	TIRE, SPARE P235/75R16 ALL-SEASON, BLACKWALL (4x4 models only. Requires a Fleet or Government order type.)	\$100.00
PAINT SCHEME		
ZY1	SOLID PAINT	\$0.00
PAINT		
48U	DEEP NAVY (Not available on with 3LT or (CBN) Street Pak II Appearance Package.)	\$0.00
SEAT TYPE		
AM6	SEATS, FRONT 60/40 SPLIT-BENCH (STD)	\$0.00
SEAT TRIM		
19J	EBONY, DELUXE CLOTH includes manual recliners with integral outboard head restraints	\$0.00
RADIO		
UMR	AUDIO SYSTEM, AM/FM STEREO with seek-and-scan and digital clock (STD) (Included and only available with (Y5D) Crew Cab Value Option Package)	\$0.00
ADDITIONAL EQUIPMENT		
ZQ6	POWER CONVENIENCE PACKAGE with power windows, power door locks with lockout protection, Remote Keyless Entry, (DE6) outside power-adjustable, manual-folding mirrors and (DF5) inside rearview auto-dimming mirror with compass and temperature display (Requires a Fleet or Government Order Type. Not available with (92W) Medium Pewter vinyl interior trim.)	\$675.00
VQK	LPO, MOLDED SPLASH GUARDS (Included with (PDM) Bodyguard Package.)	\$170.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 217.0, Data updated 3/20/2012 10:00:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
 MARK MODAFF
 CITY OF MONONA
 MONONA, WI 53716
 Phone: (608) 222-2525
 Email: mmodaff@ci.monona.wi
 .us

Prepared By:
 Scott Kussow
 Ewald Automotive Group
 36833 E. Wisconsin Ave.
 Oconomowoc, WI 53066
 Phone: (262) 567-5555
 Fax: (262) 560-1303
 Email: skfleet@ewaldauto.com

2012 Fleet/Non-Retail Chevrolet Colorado 4WD Ext Cab Work Truck CT156

SELECTED MODEL & OPTIONS

SELECTED OPTIONS - 2012 Fleet/Non-Retail CT15653 4WD Ext Cab Work Truck

CATEGORY

<u>Code</u>	<u>Description</u>	<u>MSRP</u>
ADDITIONAL EQUIPMENT		
DE6	MIRRORS, OUTSIDE POWER-ADJUSTABLE, MANUAL-FOLDING, BODY-COLOR (Included and only available with (ZQ6) Power Convenience Package.)	INC
R6G	BEDLINER, DELETE (Requires a Fleet or Government Order Type) *CREDIT*	-\$150.00
U2J	SIRIUSXM SATELLITE RADIO, DELETE (Requires a Fleet or Government order type) *CREDIT*	-\$100.00
B38	FLOOR COVERING, FULL-WIDTH RUBBERIZED-VINYL (Removes (AJ2) driver- and passenger-side, forward-facing, flat-folding rear seat and (B30) Ebony carpeting floor covering.)	\$0.00
DF5	MIRROR, INSIDE REARVIEW AUTO-DIMMING with compass and outside temperature display (Included and only available with (ZQ6) Power Convenience Package.)	INC
UE0	ONSTAR, DELETE (Requires a Fleet or Government Order Type) *CREDIT*	-\$135.00
VQ2	FLEET PROCESSING OPTION *CREDIT*	\$0.00
DEALER INSTALLED / PROCESSING OPTIONS		
<u>DI-2</u>	SPRAY IN BEDLINER	\$450.00
OPTIONS TOTAL		\$3,105.00

An underlined code indicates that the options have been applied by the dealer. All sales prices established solely by dealer.

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 217.0, Data updated 3/20/2012 10:00:00 AM
 ©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

Prepared For:
MARK MODAFF
CITY OF MONONA
MONONA, WI 53716
Phone: (608) 222-2525
Email: mmodaff@ci.monona.wi.us

Prepared By:
Scott Kussow
Ewald Automotive Group
36833 E. Wisconsin Ave.
Oconomowoc, WI 53066
Phone: (262) 567-5555
Fax: (262) 560-1303
Email: skfleet@ewaldauto.com

2012 Fleet/Non-Retail Chevrolet Colorado 4WD Ext Cab Work Truck CT156

PRICING SUMMARY

PRICING SUMMARY - 2012 Fleet/Non-Retail CT15653 4WD Ext Cab Work Truck

	<u>MSRP</u>
Base Price	\$23,030.00
Total Options:	\$3,105.00
Vehicle Subtotal	\$26,135.00
Advert/Adjustments	\$0.00
Destination Charge	\$810.00
GRAND TOTAL	\$26,945.00

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

GM AutoBook, Data Version: 217.0, Data updated 3/20/2012 10:00:00 AM
©Copyright 1986-2005 Chrome Systems Corporation. All rights reserved.

Customer File:

City of Monona – Department of Public Works

5211 Schluter Road
Monona, Wisconsin 53716
Phone: 608-222-2525
Fax: 608-222-9225
Website: www.mymonona.com



DEPARTMENT PROGRESS REPORT

March 29, 2012

MONONA DRIVE RECONSTRUCTION

Phase I

- The next landscape and warranty inspection is scheduled for spring 2012, and final walk-through inspection will occur in the fall of 2012. Any needed replacement will be addressed in the spring.

Phase II

- The second phase of Monona Drive reconstruction encompasses the section of Monona Drive from Winnequah Road north to Cottage Grove Road, with construction tentatively set to occur in April 2012.
- Foth Infrastructure and Environment is the engineering design consultant for the project.
- Pavement type will be asphalt as per recommendation in the Pavement Design report.
- The bid opening for Monona Drive Phase II was held on 2/14/2012. The low bidder was R.G. Huston, the same contractor as Phase I. The low bid was \$3,341,382. Homburg was the second low bid at \$3,742,220.
- We have coordinated an order with the City of Madison for two LED street lights to be installed on Monona Drive near Nichols Rd. The goal is to determine if the LED light provides adequate lighting compared to the standard street light in Phase I.
- The last Public Information meeting prior to construction was held on March 12, 2012 at the Monona Community Center. Relocation of utilities has already started. Road reconstruction is scheduled to start the first week of April.
- Project updates will be posted weekly on the Projects page on the City website.
- Phase II preconstruction meeting was held on March 29, 2012.

Phase III

- The third phase of Monona Drive reconstruction encompasses the section of Monona Drive from Nichols/Pflaum Road north to Winnequah Road, with construction tentatively set to occur in 2013.
- The Ad Hoc Monona Drive Advisory Committee last met November 10, 2011. Discussion items focused on the project schedule and submittals, Monona Grove School District parking lot coordination, LED lighting, and pedestrian accommodations during construction.
- The next Ad Hoc Monona Drive Advisory Committee is scheduled for Friday, March 16th.
- Phase III is nearing 90% design.

2011 STREET IMPROVEMENTS

- Streets included in the program are Tecumseh Avenue, Neponset Trail, Nishishin Trail, Nishishin Trail NE and Pocahontas Drive, and Oneida Park.
- The project is considered complete. Any cracks in the concrete will be addressed this coming spring, within the warranty period.

2012 DREDGING PROJECT

- The City has received the Chapter 30 permit (good until 2013) from WDNR for the Belle Isle area channels of the project.
- The dredging project is scheduled to take place in the fall of 2012. City Council approved the contracted engineering change order which allows the project to proceed. The City received bids for the project on February 9, 2012, with results posted on the City website.
- Cove Circle lagoon is now part of the 2012 Dredging Project. The Chapter 30 Permit was submitted to the WDNR the week of January 16, 2012. The engineer believes this process may take approximately 3-5 months to obtain approval. An update will be provided when we hear back from the WDNR.
- A dredging Public Information meeting was held Tuesday, February 28, 2012 to inform the affected property owners of the preliminary assessments, discuss the bids and project details. A public hearing to present the preliminary assessments and Engineers Report will be held on March 19, 2012. The Council did approve the 2012 Dredging Project on March 19, 2012.
- The City Council will decide at the March 29, 2012 Council meeting whether or not to approve the project's low bidder, Veit & Company.
- Low bidder was Veit & Company Inc. with a low base bid of \$511,278. The second low bid was from Gro America at \$575,121.

PUBLIC WORKS - OPERATIONS.

- The Yard Waste site at the public works garage opened on March 13th.
- Tree trimming ongoing throughout the spring and summer.
- Street sign maintenance, ongoing.
- Park maintenance activities, ongoing.
- Patching of potholes, ongoing as needed.
- Street sweeping has started for the 2012 sweeping season.
- Cleaning of Reservoir No. 3 will occur as required by the WDNR. Date to be determined.
- Leaf collection for the spring is scheduled to occur in the month of April.
- New solid waste and recycle collection information is on the City website. Solid waste carts that were on backorder have been delivered. All remaining delivery and swaps have been completed.

GIS MAPPING

- Phases I & II Layers: GIS Web training for public works and general staff is complete
- Phase III Scope: water and storm water layers will be further developed, images of all street improvement and utility project as-builts will also be added.
- Additional future layers may include additional Planning Dept. info, Monona Express/Lift routes, Bike Routes, PD & FD routes/statistics, and additional water services, meter data, and valve data.

MISCELLANEOUS PUBLIC WORKS MANAGEMENT AND ENGINEERING

- Lake Edge Sedimentation Basin – basin repairs are scheduled to be completed the summer of 2012. The section of damage on the adjacent private property will not be completed during the pond reconstruction due to current legal issues being addressed through the courts.